# Safety Data Sheet Prepared in Accordance with HCS 29 C.F.R. 1910.1200



# 1. Identification of the Substance/Mixture and the Company/Undertaking

60481/A **Revision Date:** Product Identifier 12/23/2022

Supersedes Date: 08/29/2020 COND SSH'LD SEALER A **Product Name:** 

1.2 Relevant identified uses of the

substance or mixture and uses

advised against

Component of multicomponent industrial coatings - Industrial use. Advised against:

others than recommended

Details of the supplier of the safety data sheet 1.3

> Stonhard, Division of StonCor Group, Inc. Manufacturer:

1000 East Park Avenue Maple Shade, NJ 08052

+1 856 7797500 (US)

ehs@stonhard.com **Datasheet Produced by:** 

CHEMTREC 1-800-424-9300 (Inside US) 1.4 Emergency telephone number:

CHEMTREC +1 703 5273887 (Outside US)

Giftinformasjonen: +47 22 59 13 00

# 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

Acute Toxicity, Inhalation, category 4 Acute Toxicity, Oral, category 4 Hazardous to the aquatic environment, Chronic, category 2 Skin Corrosion, category 1B Skin Sensitizer, category 1

#### 2.2 Label elements

# Symbol(s) of Product



# Signal Word

Danger

# Named Chemicals on Label

Benzyl alcohol, 3-Aminomethyl-3,5,5-trimethylcyclohexylamine, organo quaternary amine

# **HAZARD STATEMENTS**

Acute Toxicity, Oral, category 4	H302	Harmful if swallowed.
Skin Corrosion, category 1B	H314-1B	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Acute Toxicity, Inhalation, category 4	H332	Harmful if inhaled.
Hazardous to the aquatic environment,	H411	Toxic to aquatic life with long lasting effects.
Chronic, category 2		

# PRECAUTION PHRASES

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P270	Do no eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/
	face protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or
	doctor/physician.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do so.
	Continue rinsing.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.

### 2.3 Other hazards

No Information

# Results of PBT and vPvB assessment:

No information

# 3. Composition/Information On Ingredients

# 3.2 Mixtures

Hazardous ingredients

Name According to EEC	EINEC No.	CAS-No.	<u>%</u>	<b>Classifications</b>	
Benzyl alcohol	202-859-9	100-51-6	25 - <50	H302-312-319-332	Acute Tox. 4 Dermal, Acute Tox. 4 Inhalation, Acute Tox.

4 Oral, Eye Irrit. 2

Date Printed: 12/23/202	2				Product: 60481/A
cyclohexanemethanami ne, 5-amino-1,3,3- trimethyl-, reaction products with bisphenol a diglycidyl ether homopolymer	614-657-1	68609-08-5	25 - <50	H411	Aquatic Chronic 2
3-Aminomethyl-3,5,5- trimethylcyclohexylamin e	220-666-8	2855-13-2	10 - <25	H302-314-317-412	Acute Tox. 4 Oral, Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1
organo quaternary amine	269-662-8	68308-64-5	10 - <25	H302-315-318-410	Acute Tox. 4 Oral, Aquatic Chronic 1, Eye Dam. 1, Skin Irrit. 2

CAS-No.	M-Factors
100-51-6	0
68609-08-5	0
2855-13-2	0
68308-64-5	0

Additional Information: The text for GHS Hazard Statements shown above (if any) is given in Section 16.

# 4. First-aid Measures

#### **Description of First Aid Measures** 4.1

**GENERAL NOTES:** No Information **AFTER INHALATION:** No Information **AFTER SKIN CONTACT:** No Information **AFTER EYE CONTACT:** No Information **AFTER INGESTION: No Information** 

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### Most important symptoms and effects, both acute and delayed

No Information

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# 5. Fire-fighting Measures

#### 5.1 **Extinguishing Media:**

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture

No Information

#### 5.3 Advice for firefighters

No Information

# 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

No Information

#### 6.2 Environmental precautions

No Information

#### 6.3 Methods and material for containment and cleaning up

No Information

#### 6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

# 7. Handling and Storage

# 7.1 Precautions for safe handling

INSTRUCTIONS FOR SAFE HANDLING: No Information PROTECTION AND HYGIENE MEASURES: No Information

# 7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: No Information STORAGE CONDITIONS: No Information

7.3 Specific end use(s)

No specific advice for end use available.

# 8. Exposure Controls/Personal Protection

# 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (US)

<u>Name</u>	CAS-No.	ACGIH TWA	ACGIH STEL	ACGIH Ceiling
Benzyl alcohol	100-51-6			
cyclohexanemethanamine, 5- amino-1,3,3-trimethyl-, reaction produ- with bisphenol a diglycidyl ether homopolymer	68609-08-5 cts			
3-Aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2			
organo quaternary amine	68308-64-5			

Name	CAS-No.	OSHA PEL	OSHA STEL
Benzyl alcohol	100-51-6		
cyclohexanemethanamine, 5- amino-1,3,3-trimethyl-, reaction products with bisphenol a diglycidyl ether homopolymer	68609-08-5		
3-Aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2		
organo quaternary amine	68308-64-5		

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

# 8.2 Exposure controls

**Personal Protection** 

**RESPIRATORY PROTECTION:** No Information

**EYE PROTECTION:** No Information **HAND PROTECTION:** No Information

OTHER PROTECTIVE EQUIPMENT: No Information ENGINEERING CONTROLS: No Information

# 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: AMBER LIQUID

Physical State LIQUID

Odor AMMONIACAL
Odor threshold Not determined

**pH** ALKALINE

Melting point / freezing point (°C)Not determinedBoiling point/range (°C)120 - N.D.Flash Point, (°F / °C)205 F

Evaporation rate Not determined Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

Vapour PressureNOT DETERMINEDVapour densityNOT DETERMINED

Relative density Not determined

Solubility in / Miscibility with water SLIGHT

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not determined

Decomposition temperature (°C)

Not determined

Viscosity 400 CPS @ 25 C

Explosive properties Not determined

Oxidising properties

Not determined

9.2 Other information

VOC Content g/l: <5 0

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

Specific Gravity (g/cm3) 1.032

# 10. Stability and Reactivity

#### 10.1 Reactivity

No Information

#### 10.2 Chemical stability

No Information

#### 10.3 Possibility of hazardous reactions

No Information

#### 10.4 Conditions to avoid

No Information

# 10.5 Incompatible materials

No Information

#### 10.6 Hazardous decomposition products

No Information

# 11. Toxicological Information

#### 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50: No information
Inhalation LC50: No information

Irritation: No information available.

Corrosivity: No information available.

**Sensitization:** No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

**Toxicity for reproduction:** No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

**Aspiration hazard:** No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
100-51-6	Benzyl alcohol	1620 mg/kg, rat	2000 mg/kg, rabbit	>4178 mg/m3, rat	0.000	>4.178 mg/l,4h, rat
2855-13-2	3-Aminomethyl-3,5,5- trimethylcyclohexylamine	1030 mg/kg, rat	>2000 mg/kg, rat		0.000	5.01 mg/l 4 hr
68308-64-5	organo quaternary amine	530			0.000	0.000

#### **Additional Information:**

No Information

# 12. Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):No informationIC50 72hr (Algae):No informationLC50 96hr (fish):No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

**12.4 Mobility in soil:** No information

12.5 Results of PBT and vPvB No information

assessment:

12.6 Other adverse effects: No information

CAS-No.	<u>Chemical Name</u>	EC50 48hr	IC50 72hr	LC50 96hr
100-51-6	Benzyl alcohol	230 mg/l	700 mg/l	460 mg/l
68609-08-5	cyclohexanemethanamine, 5-amino-1,3,3- trimethyl-, reaction products with bisphenol a diglycidyl ether homopolymer	No information	No information	
2855-13-2	3-Aminomethyl-3,5,5- trimethylcyclohexylamine	23 mg/l	>50 mg/l	110 mg/l
68308-64-5	organo quaternary amine	No information	No information	

# 13. Disposal Considerations

#### 13.1 WASTE TREATMENT METHODS: No Information

# 14. Transport Information

**14.1 UN number** UN3267

**14.2 UN proper shipping name** CORROSIVE LIQUID, BASIC, ORGANIC, n.o.s.

Technical name (CONTAINS ISOPHORONEDIAMINE, MODIFIED ALIPHATIC

AMINES)

14.3 Transport hazard class(es)

Subsidiary shipping hazard Not applicable

14.4 Packing group

14.5 Environmental hazards
14.6 Special precautions for user
EmS-No.:
Not applicable
F-A, S-B

14.7 Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC code

Not applicable

# 15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

# U.S. Federal Regulations: As follows -

# **CERCLA - Sara Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Toxicity (any route of exposure), Skin Corrosion or Irritation, Respiratory or Skin Sensitization

#### Sara Section 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the U.S. Superfund Amendment and Reauthorization Act (SARA) of 1986 and 40 CFR part 372:

No SARA 313 substances exist in this product above de minimis concentrations.

#### **Toxic Substances Control Act:**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(b) components exist in this product.

# U.S. Clean Air Act:

EPA Coating Category: INDUSTRIAL MAINTENANCE COATING

EPA VOC Content Limit (g/l): 450

Product VOC Content (g/l) <5.0

Thinning Recommendations: NONE

Application Recommendations: FOR PROFESSIONAL USE ONLY.

# U.S. State Regulations: As follows -

# New Jersey Right-to-Know:

The following materials are non-hazardous, but are among the top five components in this product.

No NJ Right-To-Know components exist in this product.

### Pennsylvania Right-To-Know

The following non-hazardous ingredients are present in the product at greater than 3%.

No PA Right-To-Know components exist in this product.

# California Proposition 65:

<sup>\*</sup> As per the federal EPA definition for coating categories in 40 CFR 59.401.

<sup>\*\*</sup> Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

No Proposition 65 Chemicals exist in this product.

# International Regulations: As follows -

#### \* Canadian DSL:

All chemical ingredients included on inventory or exempt.

#### 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# 16. Other Information

H302

# Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Harmful if swallowed.

#### Reasons for revision

Substance and/or Product Properties Changed in Section(s):

- 01 Identification
- 02 Hazard Identification
- 03 Composition/Information On Ingredients
- 05 Fire-fighting Measures
- 08 Exposure Controls/Personal Protection
- 09 Physical and Chemical Properties
- 11 Toxicological Information
- 14 Transportation Information
- 15 Regulatory Information

Revision Statement(s) Changed

This Safety Data Sheet (SDS) has been revised to meet updated national hazard communication standards which have adopted the provisions of the UN GHS system. There have been both formatting and content changes based on the GHS classification (if applicable), Please review each section of the SDS for specific changes. This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.

- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification of the product is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the exact composition of the formula

#### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration

IC50 Half maximal inhibitory concentration

PBT Persistent bioaccumulative toxic chemical

vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container
RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder form containing 1 % or more of titanium dioxide which is in the form of

or incorporated in particles with aerodynamic diameter  $\leq$  10  $\mu m$ .

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and

it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.